




Ham / Salami  
Cheeses

Fruit / Broccoli

Toothpaste

Dish detergent



Batteries (AAA)

Milk  
Paste



**multidecor**  
SUPERFICIES DE INGENIERÍA

Cuadrante de San Francisco No. 14-1  
Colonia: Cuadrante de San Francisco  
Delegación: Coyoacán C.P. 04320  
CDMX, Tels: 5554 5858 / 5544 3737



# Formica® Magnetic Laminate

SURFACES FOR COMMUNICATING by FORMICA GROUP

# Formica® Magnetic Laminate

SURFACES FOR COMMUNICATING by FORMICA GROUP








**Formica® Magnetic Laminate** is a decorative laminate with all the benefits and assured quality of traditional Formica® laminate but with added advantages ideal for communication and display.


**Formica Magnetic Laminate** helps to create practical, fun and functional spaces at home, at school or in the workplace.

Carefully selected colours and a mix of surface finishes combine to offer a wide variety of applications and uses in environments such as retail, education, commercial and residential.

All achieve a very high magnetic effect and can be written on with chalks or special board markers, making them ideal for use as display, presentation and information boards. They can also provide the perfect backdrop for visual display projection.

Choose **Formica Magnetic Laminate** and feel the full attraction of creativity and design.

	Code	Name	Finish	Application
	M2022	Brushed Aluminium	BRM	Magnetic display board
	M2253	Diamond Black	MNL	Magnetic chalk board
	M3091	Crystal White	MGL	Magnetic marker board
	M3091	Crystal White	MNL	Magnetic projection / display board
	M4702	Magnetic Board Sanded Both Sides	UNS	Magnetic board (non-decorative) for bonding to the reverse of almost any Formica® Laminate
	M7927	Folkestone	MGL	Magnetic marker board
	M7967	Hunter Green	MNL	Magnetic chalk board



M4702 is a magnetic board that can be used to add magnetic properties to almost any thin decorative laminate from the Formica® Collection. The board is simply bonded to the reverse of the decorative laminate sheet in accordance with the recommended fabrication guidelines.

**Sheet Size** (all items): 3050 x 1220 mm

**Nominal thickness:** 1.0 mm, except for M2022 which is 1.3 mm


Note: all Formica Magnetic Laminates are delivered with a protective film (except M4702)

## Surface Finish Codes

Description	Designation	Code
Magnetic Gloss	MGL	MG
Magnetic Matt	MNL	MN
Unspecified Finish	UNS	99
Brushed Metallic	BRM	J1

## Grade

Description	Designation	Code
Magnetic Laminate Standard	MLB	M5



**Formica® Magnetic Laminate** is available in decors aligned to the **Formica® Colors** and **DecoMetal®** ranges. Due to the special characteristics of this product, exact matches in colour or surface finish between magnetic range decors and **Formica Colors** and **DecoMetal** products may not always be possible. We recommend the comparison of actual samples before specification, fabrication or installation.

Due to the manufacturing process, slight differences in gloss level from sheet to sheet might be evident and are unavoidable. Sheets must be transported and stored flat to avoid damaging the surface.

Formica Magnetic Laminates incorporate iron foil and show a strong magnetic effect. Sparks can be emitted during processing.

Surfaces are protected by a removable film (except M4702). After removal of the film and before using the product for the first time, thoroughly clean the surface with a conventional spirit (ethyl alcohol). Do not use detergents, such as washing-up liquids.

Please note that some surface finishes have limited dry wipe capabilities and that frequent, intensive cleaning might be necessary.

It is recommended that users satisfy themselves as to the suitability of the product for its intended use.

Please refer to [www.formica.com](http://www.formica.com) for full technical, processing, cleaning and care and maintenance information.

# Formica® Magnetic Laminate

## Negotiations Training Day 1 Schedule

- 8:00 a.m. Welcome and Warm-up activity
- 8:30 a.m. Session begins:  
Round table discussion  
of "Getting to Yes"
- 10:30 a.m. Coffee Break
- 11:00 a.m. Groups - Case Studies
- 1:00 p.m. Catered Lunch
- 2:00 p.m. Session resumes w/ role playing
- 4:00 p.m. Individual Action Plans
- 4:30 p.m. Conclusion




**M2022** Brushed Aluminium

**BRM**




**M7927** Folkestone

**MGL**



M7967 Hunter Green

MNL



M2253 Diamond Black

MNL




M3091 Crystal White

MNL



M3091 Crystal White

MGL



**multidecor**  
SUPERFICIES DE INGENIERÍA

Cuadrante de San Francisco No. 14-1  
Colonia: Cuadrante de San Francisco  
Delegación: Coyoacán C.P. 04320  
CDMX, Tels: 5554 5858 / 5544 3737

MAS/ENG - 3/2012 Formica and the Formica Anvil Device are registered trademarks of The Diller Corporation. © 2012 The Diller Corporation. A Fletcher Building company